Otter Lake Waste Processing and Disposal Facilities

Site Development and Operations Report

Annual Report

2018

Prepared by: Steven Copp, M.Sc. For: MIRROR Nova Scotia

1.0 Introduction

This document has been prepared by MIRROR Nova Scotia regarding the operation of all facilities at the Otter Lake Waste Resource Facility. The purpose of this report is to satisfy the requirements of Nova Scotia Environment Approval No. 2008-065580 and the Operations Plans contained therein.

The Otter Lake Solid Waste Management Facility has been in operation since acceptance testing during the summer of 1998. Subsequently, operations began on January 1st, 1999 with all processed wastes being disposed of in the Residual Disposal Facility (RDF) Cells #1 through #7.

2.0 Operations Overview

As per the Approval **Section 15 c) Annual Report**, we report the summary of information requested in Section 15 a).

- Section 15 a)i) Quantity, Type, Source and Carrier of Waste Received
 - ii) Quantity and type of recyclables removed from the FEP and Transfer Station
 - iii) Quantity of material handled at each portion of the Facility including:
 - 1) FEP
 - 2) WSF
 - 3) Waste Transfer Station
 - 4) RDF

The following tables summarize our Waste Received and Processing activities:

Otter Lake Solid Waste Management Facility 2018 Annual Report

Table 1 (Tonnes)

						OTTER L	AKE LANDF	LL S	UMMARY	2018						
OTTER LAKE	COMMERCIAL	RESIDENTIAL	SPECIAL	SPECIAL	RECEIVED	DIRECT	NET		FEP	TRAILER	IN	OUT	METAL	POP	PAPER	RDF
			Compost/Haz	Handling	TO FEP	TO RDF	RECEIVED		TO RDF	TO RDF	WSF	WSF		BOTTLES	C/B	TOTAL
January 2018	0.00	3,635.51	0.00	11.53	3,647.04	24.82	3,647.04		513.58	2,045.64	1,087.82	757.31	0.00	0.28	0.00	3,341.35
February 2018	0.00	3,149.05	0.00	87.50	3,236.55	32.49	3,236.55		515.92	1,771.93	948.70	678.05	0.00	0.29	0.00	2,998.39
March 2018	0.00	3,409.05	0.00	11.66	3,420.71	6.99	3,420.71		569.63	1,720.81	1,130.27	683.16	1.07	0.17	0.00	2,980.59
April 2018	0.00	3,751.37	0.24	7.97	3,759.58	47.11	3,759.58		802.43	1,905.53	1,051.62	706.29	215.20	0.35	0.00	3,461.36
May 2018	0.00	4,456.23	1.11	10.97	4,468.31	3.76	4,468.31		1,132.13	2,056.70	1,279.48	924.75	0.00	0.46	0.00	4,117.34
June 2018	0.00	3,951.95	0.18	8.00	3,960.13	10.38	3,960.13		990.37	1,744.48	1,225.28	956.55	0.00	0.28	0.00	3,701.78
July 2018	0.00	4,005.36	0.00	5.26	4,010.62	58.27	4,010.62		983.98	1,717.96	1,308.68	818.05	229.14	0.13	0.00	3,578.26
August 2018	0.00	4,204.45	0.00	14.31	4,218.76	19.01	4,218.76		959.83	2,050.75	1,208.18	847.38	0.00	0.49	0.00	3,876.97
September 2018	0.00	3,673.75	0.00	6.72	3,680.47	15.94	3,680.47		854.88	1,733.96	1,091.63	712.92	0.00	0.52	29.44	3,317.70
October 2018	0.00	4,227.84	0.12	10.03	4,237.99	33.24	4,237.99		947.17	2,102.05	1,188.77	931.64	201.38	0.78	0.00	4,014.10
November 2018	0.00	3,835.84	0.00	31.51	3,867.35	11.45	3,867.35		795.18	2,019.91	1,052.26	708.01	0.00	0.54	0.00	3,534.55
December 2018	0.00	3,386.85	0.00	9.70	3,396.55	120.67	3,396.55		617.54	1,855.97	923.04	633.27	0.00	0.13	0.00	3,227.45
TOTAL 2018	0.00	45,687.25	1.65	215.16	45,904.06	384.13	45,904.06		9,682.64	22,725.69	13,495.73	9,357.38	646.79	4.42	29.44	42,149.84

RDF Received = 42,149.84 Less Metal Shipped = - 646.79

Material Landfilled = 41,503.05 Tonnes

Table 2

Transfer Station Activities (Tonnes)

RECEIVED:					
2018	СОММ	SPECIAL	TOTAL		
		Compost/Haz	RECEIVED		
JAN	4,928.20	19.43	4,947.63		
FEB	4,510.71	31.22	4,541.93		
MARCH	4,718.81	9.15	4,727.96		
APRIL	5,060.50	23.29	5,083.79		
MAY	5,531.04	10.51	5,541.55		
JUNE	4,995.93	13.24	5,009.17		
JULY	5,214.25	8.65	5,222.90		
AUG	5,861.97	14.59	5,876.56		
SEPT	5,077.25	6.04	5,083.29		
ост	5,884.86	17.98	5,902.84		
NOV	5,206.02	22.53	5,228.55		
DEC	4,968.08	16.82	4,984.90		
TOTALS	61,957.62	193.45	62,151.07		

Section 15 a) iv) Quantity, type and location of any stockpiled materials including daily, intermediate and final cover, feedstocks etc.

The following table summarizes use of Alternate Cover, Rock. Clay and Soil Cover received during 2017.

Table 3 Daily Cover (Tonnes)

2018	Alternate Cover	Rock	Soil Cover	Clay	Totals
January	701.72	342.68			1,044.40
February	653.29	221.64			874.93
March	646.45	75.23			721.68
April	800.39	248.24			1,048.63
Мау	781.42	214.40			995.82
June	895.80	191.16			1,086.96
July	648.02	220.94		6,646.60	7,515.56
August	781.55	142.02			923.57
September	665.75	97.48			763.23
October	863.55	136.11			999.66
November	721.51	192.39			913.90
December	652.57	166.66			819.23
Totals	8,812.02	2,248.95	0.00	6,646.60	17,707.57

.

Section 15 a) v) Up-to-date inventory of dangerous/waste dangerous goods which are stored at the Facility, which shall consist of the informational requirements of Section 11(2) of the Dangerous Goods Management Regulations

As of December 31st, 2018, there were no waste Dangerous Goods stored on site as all material removed from the waste stream are removed from site every 14 days.

Section 15 a) vi) Surface Monitoring Results vii) Groundwater Monitoring Results

Quarterly monitoring of Surface water and Groundwater at the site was conducted in 2018 by Dillon Consulting and was provided to HRM and the Nova Scotia Environment under a separate cover on a quarterly basis.

Further monitoring of surface water was conducted by MIRROR NS during discharges from the sedimentation ponds and during rain events. Results of these tests were provided to Nova Scotia Environment upon receipt of the results from the laboratory. Appendix B contains the surface Discharge Summary which includes the results for TSS and pH as well as the full analyses for the North and South Sedimentation Pond discharges.

The Leak Detection Layers were pumped weekly or monthly during our year of operation. All Leak Detection data is supplied in Appendix A.

Surface water analyses are shown in Appendix D. One exceedence in TSS in excess of 50 ppm were experienced in February 2018. This result was reported to NSE on February 9th, 2018.

Surface water showed pH fluctuations again this year. Values ranged from 5 to 9 units. We understand that low pH is not uncommon in our area due to shallow water recharge and varying bedrock.

A summary of results from the Leak Detection Layers is located in Appendix A and Sediment Pond discharges are located in Appendix B.

Section 15 a) xiii) Details of any spills or releases at the Facility;

2018 Annual Report

There was a reportable spill at the Facility in 2018, reported to the department on January 25, 2018. A full report was submitted to the department on February 2, 2018 and can be found in Appendix H.

Section 15 a) ix) Any Complaints and Measures taken to resolve the Complaints;

There were no registered odour compaints in 2018.

Section 15 a) x) Complete records of inspections, maintenance, repairs and any incidents of emergency response;

Records are maintained on site and are available upon request.

Section 15 a) xi) Records of any violations of the conditions of this Approval and actions taken by the Approval Holders to correct those violations.

No violations to the conditions of the Approval took place in 2018.

Section 15 a) xii) Training Certifications for all Staff as completed/Achieved/Received; and

Complete training records on all Staff are available upon request.

Section 15 a) xii) Any other information requested by the Department.

We are not aware of any outstanding requested information at this time.

Section9k)

The Used Oil tank in the maintenance building shall be inspected regularly, as per Industry Standards. The liquid from the holding tank shall be disposed of through the services of a licensed used oil collector. The department shall be advised in writing of the collector and the final treatment for the liquid as part of the annual report.

The waste oil collector used in 2018 was Envirosystems. Final treatment of the oil is to be used as a fuel. Volumes are reported in Appendix I.

Section 16c)ii) Quantity of Leachate Generated, a summary of findings of the remote video inspection of the leachate

management system (applicable every second year) and an update on the long term management plan to deal with leachate produced at the Facility during the operating life and post closure phase of the operation.

Leachate removed from site in 2018 is summarized in the Table 4.

Table 4 Leachate Volumes 2018 (Litres)

2018	Leachate				
January	6,341,670				
February	9,573,876				
March	8,060,058				
April	10,228,500				
May	5,687,046				
June	2,782,152				
July	2,495,754				
August	1,759,302				
September	1,391,076				
October	7,528,176				
November	10,678,554				
December	6,955,380				
Totals	73,481,544				

Section 16c)iii)

A summary of updates to the Operations & Maintenance Manual, Environmental Management Plan and Contingency Plan Documents, which shall include the dates of reviews, modifications and reasons for the modifications.

The Operations & Maintenance Manual, Environmental Management Plan and Contingency plan were all modified in 2017 in order to commission the closure of Cell 6 and the operation of Cell 7a. This plan was accepted for both the activities. Modifications included mainly changes to material flow within the Facilities.

Section 16c)iv)

A summary of contaminated soils/solids disposed of in the RDF, including the compliance testing, quantity, the generator and the location of source for the material.

Quantities of the contaminated solids that were disposed of directly to the landfill are summarized in the Table 1.

The generator and location of source can be found in Appendix F with compliance testing included.

Section 16c)v) A Summary of Construction and Demolition Debris mix used as daily cover, including compliance testing, quantity received and quantity used.

All Construction & Demolition Debris used on site was weighed on our scale in volumes reported on Table 3. All materials were supplied by Halifax C&D ltd. Compliance testing is reported in Appendix E. There is only about 1-2 days worth of debris mix kept on hand at any time throughout the year.

Section 16c)vi) Any changes in procedure;

No changes in procedure since for the start-up of the Transfer Station in 2016.

Section 16c)vii) A summary of recommendations assembled by the Site Professionals, the Engineers, the Hydrogeologists and other consultants or authors of the Annual Report.

Recommendations can be reviewed in the 2018 Dillon Annual Surface and Groundwater report.

3.0 Future Work in 2019

In early 2019, landfill operations will continue in the upper sections of Cell 7A.

Fill Plan

For 2019, we anticipate filling Cell #7A primarily in the back portion of the cell then moving westward into the final open section, likely in late spring or early summer.

Major Construction

We do not anticipate any new construction in 2019.

4.0 Flocculants

2018 Annual Report

Flocculant fish testing results are included in Appendix G. All samples passed.

5.0 Statement of Compliance

On a continuing basis, MIRROR NS and HRM have made all reasonable efforts to maintain compliance with our approval to operate and operating plans while communicating any issues relating to the approval to construct and operate from the Nova Scotia Environment.

6.0 Summary

This report has summarized the operational and developmental aspects of the Otter Lake Solid Waste Management Facility during 2018. This was the twentieth year of operation of the facility. Incidents that did occur were managed and measures were put in place to minimize further occurrences.

2018 Annual Report

Appendix A Leak Detection Analysis Results

2018 Annual Report

Appendix B Surface Discharge Summary

2018 Annual Report

Appendix C Complaint Summary

2018 Annual Report

Appendix D NSP/SSP Full Analysis Summary

2018 Annual Report

Appendix E Alternate Cover Analysis Summary

2018 Annual Report

Appendix F Contaminated Solids Summary

2018 Annual Report

Appendix G Flocculent Fish Studies

2018 Annual Report

Appendix H Incident Report

2018 Annual Report

Appendix I Waste Oil Report